



10 Precision Road  
Danbury, CT 06810 USA

T +1-203-792-6700  
F +1-203-790-8645

E [jovil@jovil.com](mailto:jovil@jovil.com)  
W [www.jovil.com](http://www.jovil.com)

## JV100BE, JV250, SMC-1

### 6" SIDE SLIDER SHUTTLES CAPACITY (FEET / METERS)

PART NUMBER	F.I.D. INCHES/mm	#22 0.642	#24 0.510	#26 0.403	#28 0.320	#30 0.254	#32 0.201	#34 0.160	#36 0.127	#38 0.100	#40 0.079	#42 0.063	SHUTTLE PULLEY	SLIDER
205.0014 6 X 3S	.219" 5.56 mm				20 6.0	35 10.6	60 18.2	95 28.9	140 42.6	200 60.9	350 106.7	600 182.9	210.1002 T210-6B	R
205.0015 6 X 3M	.250" 6.35 mm			30 9.1	45 13.7	85 25.9	130 39.6	175 53.3	295 89.9	475 144.8	750 228.6	1225 373.4	210.1002 T210-6B	Q
205.0016 6 X 3	.300" 7.62 mm			30 9.1	60 18.2	100 30.4	180 54.8	230 70.1	350 106.7	600 182.9	950 289.6	1600 487.8	210.1010 T211-2-1A	Q
205.0054 6 X 3L	.375" 9.52 mm			90 27.4	140 42.7	240 73.1	550 167.6	900 274.3	1100 335.3	1800 548.7	2400 731.7		210.1010 T211-2-1A	Q
205.0017 6 X 6S	.500" 12.70 mm	65 19.8	100 30.4	180 54.8	280 85.3	430 131.0	750 228.6	1200 365.8	1450 442.0	2300 701.2	3600 1097.5		210.1010 T211-2-1A	P
205.1503 6 X 5/8S	.625" 15.87 mm	100 30.4	200 60.9	300 91.4	450 137.1	850 259.1	1300 396.3	1800 548.7	3000 914.6	4300 1310.9			210.1009	P
205.0019 6 X 6	.750" 19.05 mm	160 48.7	255 77.7	400 121.9	615 187.5	1000 304.8	1500 457.3	2300 701.2	3600 1097.5	5500 1676.8			210.1010 T211-2-1A	N
205.1010 6 X 6SP	.750" 19.05 mm	225 68.5	380 115.8	600 182.9	850 259.1	1330 405.4	2325 708.8	3170 966.4	4680 1426.8	7275 2217.9			210.1028	P



10 Precision Road  
Danbury, CT 06810 USA

T +1-203-792-6700  
F +1-203-790-8645

E [jovil@jovil.com](mailto:jovil@jovil.com)  
W [www.jovil.com](http://www.jovil.com)

## JV100BE, JV250, SMC-1

# 6" ROUND BELT SHUTTLES CAPACITY (FEET / METERS)

PART NUMBER	F.I.D. INCHES mm	#16 1.290	#18 1.023	#20 0.812	#22 0.642	#24 0.510	#26 0.403	#28 0.320	#30 0.254	SHUTTLE PULLEY	WINDING BELT
205.0086 6 X 4SBOS	.285" 7.23 mm		9 2.7	12 3.6	24 7.3	38 11.5	62 18.9	95 28.9	150 45.7	210.1010 T211-2-1A	178.5021C 2-440
205.0055 6 X 4SBNS	.300" 7.62 mm		9 2.7	12 3.6	24 7.3	38 11.5	62 18.9	95 28.9	150 45.7	210.1010 T211-2-1A	178.5021C 2-440
205.0049 6 X 6SB	.380" 9.65 mm	10 3.0	18 5.4	33 10.0	50 15.2	75 22.8	115 35.0	180 54.8	300 91.4	210.1010 T211-2-1A	178.5022C 3/8 X 8 1/2
205.0018 6 X 6SB	.425" 10.79 mm	14 4.2	27 8.2	40 12.1	60 18.2	100 30.4	150 45.7	230 70.1	400 121.9	210.1010 T211-2-1A	178.5022C 3/8 X 8 1/2
205.1013 6 X 5/8B	.625" 15.87 mm	25 7.6	40 12.1	70 21.3	120 36.5	170 51.8	300 91.4	400 121.9	550 167.6	210.1009	178.5022C 3/8 X 8 1/2

## JV100BE, JV250, SMC-1

# SLIDER

PART NUMBER	WIRE RANGE AWG mm	PART NUMBER	WIRE RANGE AWG mm	PART NUMBER	WIRE RANGE AWG mm	PART NUMBER	WIRE RANGE AWG mm
K3	#40-42 0.079-0.063 mm	H6	#30-32 0.254-0.201 mm	Q4	#38-40 0.100-0.079 mm	M7	#26-28 0.403-0.320 mm
K4	#36-38 0.127-0.100 mm	H7	#26-28 0.403-0.320 mm	Q5	#34-36 0.160-0.127 mm	M8	#22-24 0.642-0.510 mm
K5	#32-34 0.201-0.160 mm	G4	#38-40 0.100-0.079 mm	Q6	#30-32 0.254-0.201 mm	N4	#36-38 0.127-0.100 mm
K6	#28-30 0.320-0.254 mm	G5	#34-36 0.160-0.127 mm	Q7	#26-28 0.403-0.320 mm	N5	#32-34 0.201-0.160 mm
J3	#42-44 0.063-0.050 mm	G6	#30-32 0.254-0.201 mm	P4	#38-40 0.100-0.079 mm	N6	#28-30 0.320-0.254 mm
J4	#38-40 0.100-0.079 mm	G7	#26-28 0.403-0.320 mm	P5	#34-36 0.160-0.127 mm	N7	#24-26 0.510-0.403 mm
J5	#34-36 0.160-0.127 mm	G8	#22-24 0.642-0.510 mm	P6	#30-32 0.254-0.201 mm	N8	#20-22 0.812-0.642 mm
J6	#30-32 0.254-0.201 mm	R3	#40-42 0.079-0.063 mm	P7	#26-28 0.403-0.320 mm	S4	#36-38 0.127-0.100 mm
J7	#26-28 0.403-0.320 mm	R4	#36-38 0.127-0.100 mm	P8	#22-24 0.642-0.510 mm	S5	#32-34 0.201-0.160 mm
H3	#42-44 0.063-0.050 mm	R5	#32-34 0.201-0.160 mm	M4	#38-40 0.100-0.079 mm	S6	#28-30 0.320-0.254 mm
H4	#38-40 0.100-0.079 mm	R6	#28-30 0.320-0.254 mm	M5	#34-36 0.160-0.127 mm	S7	#24-26 0.510-0.403 mm
H5	#34-36 0.160-0.127 mm	Q3	#28-30 0.320-0.254 mm	M6	#30-32 0.254-0.201 mm	S8	#20-22 0.812-0.642 mm